

Safety Data Sheet (SDS)

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Section 1: Identification of the Substance/Mixture and the Company/Undertaking

Product Name: **GSL K2.6**

Product Code: **GSL K2.6**

Keene Building Products
2926 Chester Ave.
Cleveland, OH 44114
(877) 514-5336

info@keenebuilding.com
(877) 514-5336



Chemtrec: **1-800-424-6400**
Chemtrec Global: **1-703-527-3887**

Section 2: Hazard(s) Identification

GHS Ratings:

Skin corrosive	3	Reversible adverse effects in dermal tissue, Draize score: $\geq 1.5 < 2.3$
Eye corrosive	2B	Mild eye irritant: Subcategory 2B, Reversible in 7 days
Carcinogen	1A	Known Human Carcinogen Based on human evidence

GHS Hazards

H315	Causes skin irritation
H350	May cause cancer

GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P321	Specific treatment, see supplemental first aid information.
P362	Take off contaminated clothing and wash before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P308+P313	IF exposed or concerned: Get medical advice/attention
P332+P313	IF skin irritation occurs: Get medical advice/attention
P405	Store locked up
P501	Dispose of contents/container in accordance with local/regional/national/international regulations. Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.

Signal Word: **Danger**



Section 3: Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Plaster of Paris	26499-65-0	80.00% - 90.00%
Limestone	1317-65-3	5.00% - 10.00%
Quartz	14808-60-7	1.00% - 5.00%

Section 4: First Aid Measures

4.1 Description of First Aid Measures

After Inhalation: Supply fresh air. If required provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After Eye Contact: Remove contact lens if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After Skin Contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After Swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting. Call for medical help immediately.

Notes to Physician: Treat symptomatically

Section 5: Firefighting Measures

Flash Point: 998 C (1,828 F)

LEL:

UEL:

5.1 Extinguishing Media

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

5.2 Special Hazards Arising from the Substance or Mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Hazardous Combustion Products

Carbon oxides

5.4 Advice for Firefighters

Wear self-contained respiratory protective device

5.5 Fire Equipment

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations

Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Avoid dust formation

Do not breathe dust

Avoid contact with skin, eyes and clothing
 Remove all non-essential people from the affected area.
 Ensure adequate ventilation
 Wear protective equipment

6.2 Environmental Precautions: Do not allow to enter sewers/ surface or ground water.
 Prevent seepage into sewage system, workpits and cellars.

6.3 Methods and Materials for Containment and Cleaning Up:

Ensure adequate ventilation.
 Pick up and arrange disposal without creating dust.
 Dispose of the collected material according to regulations.

6.4 Reference to Other Sections

For personal protection see Section 8
 For disposal information see Section 13.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Avoid formation of respirable particles
 Do not breath vapours/dust
 Do not get in eyes, on skin, or on clothing
 Ensure good ventilation/exhaustions at the workplace
 Make sure that all applicable workplace limits are observed.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Store in cool, dry conditions in well sealed receptacles
 Keep receptacle tightly sealed. Store in dry conditions.
 Protect from humidity and water
 Storage temperature 10 - 50 °C
 Do not store together with oxidizing and acidic materials.

Requirements to be Met by Storerooms and Receptacles: Observe all local and national regulations for storage of water polluting products.

7.3 Specific End Use(s)

No further relevant information available.

Section 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Ingredients with limit values that require monitoring at the workplace:

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Plaster of Paris 26499-65-0	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	Not Established	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Limestone 1317-65-3	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	Not Established	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Quartz 14808-60-7	Not Established	0.025 mg/m3 TWA (respirable fraction)	NIOSH: 0.05 mg/m3 TWA (respirable dust)

Additional Information: The lists that were valid during the creation were used as a basis.

8.1 Exposure Controls

Personal Protective Equipment

General Protective and Hygienic Measures

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working

Keep away foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin

8.2 Exposure Controls

Personal Protective Equipment

General Protective and Hygienic Measures:

Eye Protection: Safety glasses with side shields.

Respiratory Protection: Use suitable respirator protective device in case of insufficient ventilation. Use suitable respiratory protective device when dust and fumes is formed.

Protection of Hands: Protective gloves: to avoid skin problems, the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of Gloves:

Neoprene, butyl rubber gloves, the selection of the suitable gloves does not only depend on the material, but also on the further marks of quality and varies from manufacturer to manufacturer several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. Penetration time of Glove Material:

Protective gloves should be replaced at the first signs of wear. The exact break through time

has to be found out by the manufacturer of the protective gloves and has to be observed. Skin

and Body Protection: Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Section 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance: Grey powder	Odor: Low
Vapor Pressure: -99999 mmHg	Odor threshold: Not determined
Vapor Density: -99999.0	pH: Not applicable
Specific Gravity: 2.496688778	Melting point: Not applicable
Freezing point: Not applicable	Solubility: Not applicable
Boiling range: 2230°C	Flash point: 1828 F, 998 C
Evaporation rate: Not determined	Flammability: 998 C, 1828 F
Explosive Limits: Not determined	Partition coefficient (n-octanol/water): Not determined
Autoignition temperature: N/A	Decomposition temperature: Not determined
WPG 2.6 - 3.0	Regulatory Coating VOC g/L Not determined
Regulatory Coating VOC lb./gal Not determined	

Section 10: Stability and Reactivity

10.2 Chemical Stability

No decomposition if stored and applied as directed.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

Section 11: Toxicological Information

Mixture Toxicity

Component Toxicity

11.1 Information on Toxicological Effects

Routes of Entry:

No data available

Target Organs:

Eyes Skin Respiratory System

Effects of Overexposure

Carcinogenicity: The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing).

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
14808-60-7	Quartz	1 to 5%	Quartz: NIOSH: potential occupational carcinogen IARC: Human carcinogen OSHA: listed

Section 12: Ecological Information

12.1 Persistence and Degradability

Product: No further relevant information available

12.2 Bioaccumulative Potential

Product: Bioaccumulation: No further relevant information available

Partition coefficient: n-octanol/water: No further relevant information available

12.3 Mobility in Soil

Product: Distribution among environmental compartments: No further relevant information available.

Additional Ecological Information:

General notes: German Hazard Water Class NWG

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.4 Results of PBT and vPvB Assessment

Assessment: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

12.5 Other Adverse Effects

Product: No further relevant information available

12.6 Toxicity

Component Ecotoxicity

Section 13: Ecological Information

13.1 Waste Treatment Methods

Product: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches the chemical or used container. Offer surplus and non-recyclable solutions to a licensed disposal company. Send to a licensed waste management company.

Contaminated Packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers

Section 14: Transport Information

14.1 UN Number

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
Not	regulated			

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prop 65 - Chemicals Known to Cause Developmental Toxicity

- None

Prop 65 - Chemicals Known to Cause Cancer:

14808-60-7 Quartz

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
USA	U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities	No
USA	U.S. - CERCLA/SARA - Section 313 - Emission Reporting	No
USA	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	No
USA	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs	No
USA	U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing	No
USA	TSCA (Inventory - United States - Section 8(b) Inventory (TSCA)	Yes

Canada	DSL (Canadian Domestic Substance List)	Yes
Europe	EINECS (European Inventory of Existing Commercial Chemical Substances)	Yes
China	IECSC (Inventory of Chemical Substances Manufactured or Imported in China)	Yes
Australia	AICS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme)	Yes
Phillipines	PICCS (Philippines Inventory of Chemicals and Chemical Substances)	Yes
Korea	KECL (Korean Existing Chemical and Chemical Substances)	Yes
New Zealand	NZIoC (New Zealand Inventory of Chemicals)	Yes
Japan	ISHL (Japanese Handbook of Existing and New Chemical Substances)	Yes




Section 16: Other Information

Hazardous Material Information System (HMIS)

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	E

HMIS & NFPA Hazard Rating Legend
 * = Chronic Health Hazard
 0 = INSIGNIFICANT
 1 = SLIGHT
 2 = MODERATE
 3 = HIGH

National Fire Protection Association (NFPA)



We believe the information contained in this SDS is correct, however, because the material may be used under conditions over which we have no control, we give no warranty and assume no responsibility for any damage to person, property or business arising from such use. It is the responsibility of the user to ensure it is properly used. Recipients are advised to confirm in advance of need that the information is current, applicable and suitable to their circumstances. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reviewer Revision

Date Prepared: 9/4/2015